



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspio.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/693,770	10/20/2000	Johannes Schuren	55839USA2A.002	7772
32692	7590 08/11/2004		EXAMINER	
3M INNOV	ATIVE PROPERTIES	BROWN, M	BROWN, MICHAEL A	
PO BOX 334	27			
ST. PAUL, MN 55133-3427			ART UNIT	PAPER NUMBER
			3764	
			DATE MAILED: 08/11/2004	

Please find below and/or attached an Office communication concerning this application or proceeding.

			- Mw			
		Application No.	Applicant(s)			
Office Action Summary		09/693,770	SCHUREN ET AL.			
		Examiner	Art Unit			
		Michael Brown	3764			
Period fo	The MAILING DATE of this communication apports reply	pears on the cover sheet with the	correspondence address			
THE - Exte after - If the - If NC - Failt Any	MAILING DATE OF THIS COMMUNICATION. Insions of time may be available under the provisions of 37 CFR 1.1 SIX (6) MONTHS from the mailing date of this communication. In period for reply specified above is less than thirty (30) days, a replet of the provision o	I36(a). In no event, however, may a reply be ti ly within the statutory minimum of thirty (30) da will apply and will expire SIX (6) MONTHS fron e, cause the application to become ABANDONI	mely filed ys will be considered timely. the mailing date of this communication. ED (35 U.S.C. § 133).			
Status						
1)[🛛	Responsive to communication(s) filed on 21 J	anuary 2004.				
· _	This action is FINAL. 2b) This action is non-final.					
3)□	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposit	ion of Claims					
5)□ 6)⊠ 7)⊠	Claim(s) <u>1-21</u> is/are pending in the application 4a) Of the above claim(s) is/are withdrated Claim(s) is/are allowed. Claim(s) <u>1-13 and 16-20</u> is/are rejected. Claim(s) <u>14-15 and 21</u> is/are objected to. Claim(s) are subject to restriction and/or	wn from consideration.				
Applicat	ion Papers					
9)[The specification is objected to by the Examine	er.				
10)	10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.					
*	Applicant may not request that any objection to the	drawing(s) be held in abeyance. Se	e 37 CFR 1.85(a).			
. 11)□	Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the Ex					
Priority (under 35 U.S.C. § 119					
a)	Acknowledgment is made of a claim for foreign All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Burea See the attached detailed Office action for a list	ts have been received. ts have been received in Applicat crity documents have been receiv u (PCT Rule 17.2(a)).	ion No ed in this National Stage			
Attachmen	ut(s)					
1) Notic	ce of References Cited (PTO-892)	4) Interview Summan				
2) Notice 3) Information	ce of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) er No(s)/Mail Date	Paper No(s)/Mail D				
	Indometi Office	o, <u> </u>				

DETAILED ACTION

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-8, 12 and 16-18 are rejected under 35 U.S.C. 102(b) as being anticipated by Sandvig '225.

Sandvig '225discloses in figures 9A-9d a custom footbed comprising a substrate 54 having an upper surface with contours (col. 18, lines 15-16), a depression (the contour inside of 54 that 52 fits inside of), and a compressible would spacer 52. The substrate has a uniform thickness (fig. 9B), The depression and the wound spacer extend across the substrate (fig. 9B). The wound spacer is attached to the upper surface of the substrate (fig. 9D). The substrate includes a moisture cured resin (col.

18, line 10) Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 9-11 13 and 19-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sandvig '225 in view of Sandvig '047.

Art Unit: 3764

Sandvig '225 discloses in figures 9A – 9D a custom footbed, substantially as claimed. However, Sandvig does not disclose a contact layer attached to the upper surface of the substrate. Sandvig '047 teaches in figure 2 a custom footbed comprising a substrate 10 and a contact layer 14 attached to the upper layer of the substrate. It would have been obvious to one having ordinary skill in the art at the time that the invention was made that the contact layer as taught by Sandvig '047 could be incorporated into the footbed disclosed by Sandvig '225 in order to use the contact layer to prevent undesirable adhesion or contact between the substrate and the bottom of the user's foot. It is inherent that the contact layer could be made of an absorbing textile to absorb any unwanted resin from touching the bottom of the user's foot. Sandvig '047 also teaches that the substrate can include a textile material (a knit fabric, col. 5, lines 66-68).

Allowable Subject Matter

Claims 14-15 and 21 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Response to Arguments

Applicant's arguments filed April 24, 2004 have been fully considered but they are not persuasive. Applicant argues that Sandvig does not disclose an orthotic having a depression in the upper surface where the substrate does not conform to the contour of the foot. However, whether the depression deviates from the contour of the foot is a

Art Unit: 3764

function of the device. Also because the foot is flat and the upper surface of the orthotic has a depression there has to be some deviation. Applicant argues that Sandvig '047 does not provide for the deficiency in Sandvig '225. However, Sandvig '225 was used to set forth an orthotic with a depression in the top surface. Sandvig '047 was used as a modifier to provide a contact layer.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael Brown whose telephone number is 703-308-2682. The examiner can normally be reached on 5:30 am-4:00 pm Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nicholas Lucchesi can be reached on 703-308-2698. The fax phone

Application/Control Number: 09/693,770 Page 5

Art Unit: 3764

number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0858.

M. Brown August 6, 2004

> MICHAEL A. BROWN PRIMARY EXAMINER

Michael & Dr